

MTS / T-BERD 8000 V2 B16234 RELEASE NOTE

Ste-Core Package 16234 (June 2016)

- Boot V6.38 (07/April/2016)
- Linux Kernel V7.68 (07/April/2016)
- File System V5.80 (07/April/2016)

Ste-Optical Package 16234 (June 2016)

- Fiber Optics V15.22 (07/June/2016)
- Instrument Setup V15.20 (07/April/2016)
- Microscope V15.20 (07/April/2016)

CONTENTS

T-BERD/MTS 8000 V2 Base Unit	3
New functionalities	3
Improvements	3
FO Generic Functions	3
Improvements	3
OTDR	3
New functionalities	3
Improvements	3
FiberComplete	3
Improvements	3
OSA	3
New functionalities	3
Scope	4
Improvements	4
Script	4
Improvements	4

This version supersedes the previous release note B16144 (changes for this version with * at the beginning)

T-BERD/MTS 8000 V2 Base Unit

New functionalities

- Management of new capacitive screens

Improvements

- Improved management of Asian Characters
- Improved management of Static IP address
- Improved management of Stratasync URL changes
- Improved outdoor mode
- Improved management of titlebar

FO Generic Functions

Improvements

- Improved management of macros when clicking on the script button

OTDR

New functionalities

- Management of 400 km range for B/C & D OTDR modules

Improvements

- Improved handling of default configuration files

FiberComplete

Improvements

- Improved management of directory naming and filenaming
- * Improved management of FiberComplete filenaming while OTDR set as Auto
- * Improved management of multiwavelength acquisitions while OTDR is selected

OSA

New functionalities

- Improved management of power drift curve

Scope

Improvements

- Change of default profiles to match the new IEC recommendations
- Improved selection of profiles from the detailed list
- * Correction of issue when setting scope setup simultaneously to OTDR PDF report generation

Script

Improvements

- Length and Total ORL, once selected with bidirOTDR OEO mode, are now always displayed in result table